

SEDIMENTOLOGY

The Journal of the International Association of Sedimentologists *edited by*
P. Haughton, P. Carling, I. Montañez, C. Spötl

Volume 51 2004



Blackwell
Publishing

Contents

NUMBER 1

- 1 C. McKenna Neuman. Effects of temperature and humidity upon the transport of sedimentary particles by wind
- 19 A. D. Horbury and H. Qing. 'Pseudobreccias' revealed as calcrete mottling and bioturbation in the Late Dinantian of the southern Lake District, UK
- 39 W. M. Cornelis and D. Gabriels. A simple model for the prediction of the deflation threshold shear velocity of dry loose particles
- 53 P. Blanchon and C. T. Perry. Taphonomic differentiation of *Acropora palmata* facies in cores from Campeche Bank Reefs, Gulf of México
- 77 S. L. Yang and Z. L. Ding. Comparison of particle size characteristics of the Tertiary 'red clay' and Pleistocene loess in the Chinese Loess Plateau: implications for origin and sources of the 'red clay'
- 95 G. F. S. Wiggs, R. J. Atherton and A. J. Baird. Thresholds of aeolian sand transport: establishing suitable values
- 109 H. Westphal, A. Munnecke, J. Pross and J. O. Herrle. Multiproxy approach to understanding the origin of Cretaceous pelagic limestone-marl alternations (DSDP site 391, Blake-Bahama Basin)
- 127 D. F. Ufnar, L. A. González, G. A. Ludvigson, R. L. Brenner and B. J. Witzke. Diagenetic overprinting of the sphaerosiderite palaeoclimate proxy: are records of pedogenic groundwater $\delta^{18}\text{O}$ values preserved?
- 145 K. J. Amos, J. Alexander, A. Horn, G. D. Pocock and C. R. Fielding. Supply limited sediment transport in a high-discharge event of the tropical Burdekin River, North Queensland, Australia
- 163 P. J. Talling, L. A. Amy, R. B. Wynn, J. Peakall and M. Robinson. Beds comprising debrite sandwiched within co-genetic turbidite: origin and widespread occurrence in distal depositional environments

NUMBER 2

- 195 F. Gallo and A. W. Woods. On steady homogeneous sand-water flows in a vertical conduit
- 211 M. Honda, S. Yabuki and H. Shimizu. Geochemical and isotopic studies of aeolian sediments in China
- 231 G. R. Dix and C. S. Nelson. The role of tectonism in sequence development and facies distribution of Upper Oligocene cool-water carbonates: Coromandel Peninsula, New Zealand
- 253 N. Chow and A. D. George. Tepee-shaped agglutinated microbialites: an example from a Famennian carbonate platform on the Lennard Shelf, northern Canning Basin, Western Australia
- 267 G. D. Porta, J. A. M. Kenter and J. R. Bahamonde. Depositional facies and stratal geometry of an Upper Carboniferous prograding and aggrading high-relief carbonate platform (Cantabrian Mountains, N Spain)
- 297 W. Blendinger, P. Brack, A. K. Norborg and E. Wulff-Pedersen. Three-dimensional modelling of an isolated carbonate buildup (Triassic, Dolomites, Italy)

- 315 D. B. Loope, M. B. Steiner, C. M. Rowe and N. Lancaster. Tropical westerlies over Pangaeian sand seas
- 323 A. Sandler, Y. Harlavan and G. Steinitz. Early formation of K-feldspar in shallow-marine sediments at near-surface temperatures (southern Israel): evidence from K-Ar dating
- 339 F. H. Nader, R. Swennen and R. Ellam. Reflux strata-bound dolostone and hydrothermal volcanism-associated dolostone: a two-stage dolomitization model (Jurassic, Lebanon)
- 361 S. Lojen, T. Dolenec, B. Vokal, N. Cukrov, G. Mihelčić and W. Papesch. C and O stable isotope variability in recent freshwater carbonates (River Krka, Croatia)

NUMBER 3

- 377 I. A. Lunt, J. S. Bridge and R. S. Tye. A quantitative, three-dimensional depositional model of gravelly braided rivers
- 415 I. A. Lunt and J. S. Bridge. Evolution and deposits of a gravelly braid bar, Sagavanirktok River, Alaska
- 433 J. M. Cole, E. T. Rasbury, I. P. Montañez, V. A. Pedone, A. Lanzirrotti and G. N. Hanson. Petrographic and trace element analysis of uranium-rich tufa calcite, middle Miocene Barstow Formation, California, USA
- 455 E. J. Anderson. The cyclic hierarchy of the 'Purbeckian' Sierra del Pozo Section, Lower Cretaceous (Berasian), southern Spain
- 479 P. O. D. Andersson and R. H. Worden. Mudstones of the Tanqua Basin, South Africa: an analysis of lateral and stratigraphic variations within mudstones, and a comparison of mudstones within and between turbidite fans
- 503 D. Duranti and A. Hurst. Fluidization and injection in the deep-water sandstones of the Eocene Alba Formation (UK North Sea)
- 531 M. C. Rygel, M. R. Gibling and J. H. Calder. Vegetation-induced sedimentary structures from fossil forests in the Pennsylvanian Joggins Formation, Nova Scotia
- 553 I. Lønne and W. Nemecek. High-arctic fan delta recording deglaciation and environment disequilibrium
- 591 O. Brockamp and M. Zuther. Changes in clay mineral content of tidal flat sediments resulting from dike construction along the Lower Saxony coast of the North Sea, Germany
- 601 R. Hesse, J. Shah and S. Islam. Physical and chemical growth conditions of Ordovician organogenic deep-water dolomite concretions: implications for the $\delta^{18}\text{O}$ of Early Palaeozoic sea water
- 627 L. Pomar, M. Brandano and H. Westphal. Environmental factors influencing skeletal grain sediment associations: a critical review of Miocene examples from the western Mediterranean
- 653 M. Coniglio, R. Frizzell and B. R. Pratt. Reef-capping laminites in the Upper Silurian carbonate-to-evaporite transition, Michigan Basin, south-western Ontario
- 669 J. P. Le Roux. Estimating palaeowind strength from beach deposits - Discussion
- 671 K. D. Adams. Estimating palaeowind strength from beach deposits - Reply

NUMBER 4

- 675 N. Capuzzo and A. Wetzel. Facies and basin architecture of the Late Carboniferous Salvan-Dorénaz continental basin (Western Alps, Switzerland/France)
- 699 A. B. Rodriguez and J. B. Anderson. Contourite origin for shelf and upper slope sand sheet, offshore Antarctica
- 713 N. P. Mountney and A. Jagger. Stratigraphic evolution of an aeolian erg margin system: the Permian Cedar Mesa Sandstone, SE Utah, USA
- 745 C. Dupraz, P. T. Visscher, L. K. Baumgartner and R. P. Reid. Microbe-mineral interactions: early carbonate precipitation in a hypersaline lake (Eleuthera Island, Bahamas)
- 767 C. Gladstone, L. J. Ritchie, R. S. J. Sparks and A. W. Woods. An experimental investigation of density-stratified inertial gravity currents
- 791 P. K. Pufahl and P. W. Fralick. Depositional controls on Palaeoproterozoic iron formation accumulation, Gogebic Range, Lake Superior region, USA
- 809 Q. Clevis, P. L. De Boer and W. Nijman. Differentiating the effect of episodic tectonism and eustatic sea-level fluctuations in foreland basins filled by alluvial fans and axial deltaic systems: insights from a three-dimensional stratigraphic forward model
- 837 G. Lastras, M. Canals, R. Urgeles, J. E. Hughes-Clarke and J. Acosta. Shallow slides and pockmark swarms in the Eivissa Channel, western Mediterranean Sea
- 851 N. J. Tabor and I. P. Montañez. Morphology and distribution of fossil soils in the Permo-Pennsylvanian Wichita and Bowie Groups, north-central Texas, USA: implications for western equatorial Pangean palaeoclimate during icehouse-greenhouse transition
- 885 B. Bock, J. A. Hurowitz, S. M. McLennan and G. N. Hanson. Scale and timing of Rare Earth Element redistribution in the Taconian foreland of New England
- 899 Erratum

NUMBER 5

- 901 J. D. Jansen and G. J. Brierley. Pool-fills: a window to palaeoflood history and response in bedrock-confined rivers
- 927 K. J. Curran, P. S. Hill, T. M. Schell, T. G. Milligan and D. J. W. Piper. Inferring the mass fraction of flocc-deposited mud: application to fine-grained turbidites
- 945 Z. Sylvester and D. R. Lowe. Textural trends in turbidites and slurry beds from the Oligocene flysch of the East Carpathians, Romania
- 973 P. M. Myrow, L. Tice, B. Archuleta, B. Clark, J. F. Taylor and R. L. Ripperdan. Flat-pebble conglomerate: its multiple origins and relationship to metre-scale depositional cycles
- 997 P. K. Pufahl, N. P. James, Y. Bone and J. J. Lukasik. - Pliocene sedimentation in a shallow, cool-water, estuarine gulf, Murray Basin, South Australia
- 1029 D. Chen, H. Qing and C. Yang. Multistage hydrothermal dolomites in the Middle Devonian (Givetian) carbonates from the Guilin area, South China

- 1053 J. H. Baas, W. Van Kesteren and G. Postma. Deposits of depletive high-density turbidity currents: a flume analogue of bed geometry, structure and texture
- 1089 M. P. Taylor, R. N. Drysdale and K. D. Carthew. The formation and environmental significance of calcite rafts in tropical tufa-depositing rivers of northern Australia
- 1103 J. E. Bullard, G. H. McTainsh and C. Pudmenzky. Aeolian abrasion and modes of fine particle production from natural red dune sands: an experimental study
- 1127 M. J. Kraus and K. S. Davies-Vollum. Mudrock-dominated fills formed in avulsion splay channels: examples from the Willwood Formation, Wyoming
- 1145 C. Holz, J. W. Stuut and R. Henrich. Terrigenous sedimentation processes along the continental margin off NW Africa: implications from grain-size analysis of seabed sediments
- 1155 Erratum

NUMBER 6

- 1157 D. M. FitzGerald, M. Kulp, S. Penland, J. Flocks and J. Kindinger. Morphologic and stratigraphic evolution of muddy ebb-tidal deltas along a subsiding coast: Barataria Bay, Mississippi River delta
- 1179 N. P. James, Y. Bone, T. K. Kyser, G. R. Dix and L. B. Collins. The importance of changing oceanography in controlling late Quaternary carbonate sedimentation on a high-energy, tropical, oceanic ramp: north-western Australia
- 1207 D. G. Masson, R. B. Wynn and B. J. Bett. Sedimentary environment of the Faroe-Shetland and Faroe Bank Channels, north-east Atlantic, and the use of bedforms as indicators of bottom current velocity in the deep ocean
- 1243 G. H. Spence, A. Arnaud-Vanneau, H. Arnaud and M. E. Tucker. Unravelling the microfacies signatures of parasequences using computer-optimized similarity matrices
- 1273 D. Y. Sumner and J. P. Grotzinger. Implications for Neoproterozoic ocean chemistry from primary carbonate mineralogy of the Campbellrand-Malmani Platform, South Africa
- 1301 G. M. Ashley, J. Maitima Mworio, A. M. Muasya, R. B. Owen, S. G. Driese, V. C. Hover, R. W. Renaut, M. F. Goman, S. Mathai and S. H. Blatt. Sedimentation and recent history of a freshwater wetland in a semi-arid environment: Lobo Swamp, Kenya, East Africa
- 1323 T. Damholt and F. Surlyk. Laminated-bioturbated cycles in Maastrichtian chalk of the North Sea: oxygenation fluctuations within the Milankovitch frequency band
- 1343 P. B. Wignall and J. L. Best. Sedimentology and kinematics of a large, retrogressive growth-fault system in Upper Carboniferous deltaic sediments, western Ireland
- 1359 D. Radies, F. Preusser, A. Matter and M. Mange. Eustatic and climatic controls on the development of the Wahiba Sand Sea, Sultanate of Oman